

Wind Energy Development

Wildlife Issues and Concerns

Wind and Prairie Task Force
February 27, 2004
Edward A. Martinko
State Biologist and Director
Kansas Biological Survey
University of Kansas



Wildlife Issues and Concerns


- Landscape and habitat fragmentation
- Habitat avoidance
- Bird and bat collision
- Predation



Landscape and Habitat Fragmentation

- Loss of habitat
- Reduced patch size
- Increased habitat edge
- Increased isolation of patches
- Modification of natural disturbance regime






Effects of Habitat Fragmentation:

- Loss of habitat
- Reduced patch size
- Increased amount of habitat edge





Effects of Habitat Fragmentation (cont.):

 Increased isolation of habitat patches reduces ability of wildlife to move between patches




Effects of Habitat Fragmentation (cont.):

Modification of natural disturbance regime





Untilled Landscapes of Eastern Kansas and Northeastern Oklahoma





Habitat Avoidance


Results from:

- Visual obstructions
- Sound
- Roads and fences



Wind Farms

- Development size: 5-15,000 acres
- Turbine number: 50-200+
- Tower height: 350-420+ ft:
- Access roads
- Utility lines
- Service and maintenance





Bird and Bat Collision

Mortality:

- Turbine blades
- Transmission lines

Issues:

- Tower height
 - Higher towers may kill more birds 285' tall vs. 350-420' tall
- Ridges
- Blade speed
 - Slower blade rotation kills fewer birds

Risk:

- Raptors
- Breeding birds



Significance of the Flint Hills: Birds

- Important breeding area for grassland birds
 - Core distribution of the Greater Prairie Chicken
 - Grassland birds are the most strongly declining group of birds in North America
- Migration corridor for selected species




Breeding Grassland Birds

- Greater Prairie Chicken
- Upland Sandpiper
- Grasshopper Sparrow
- Henslow's Sparrow
- Dickcissel
- Eastern Meadowlark





- American Golden Plover
- Buff-breasted Sandpiper
- Upland Sandpiper
- Eskimo Curlew (extinct?)





Evidence for Concern

Grassland Birds in Minnesota

• Bird densities within about 100 m from each turbine were lower than those farther from turbines at wind farms with turbines and towers smaller than those proposed in the Flint Hills (Leddy *et al.*, 1999).

Main species: Bobolink, Savannah Sparrow, Sedge Wren.



Evidence for Concern Bird Kills

Existing Studies:

 Generally collision-related deaths not a threat, but

Anomaly:

Altamont Pass, California

- 22,000 birds killed over 20 years
- Golden eagles, hawks, and owls

Poor Planning and Siting!



Evidence for Concern Bat Kills

Existing Studies:

 Generally collision-related deaths not a threat, but

Anomaly:

Buffalo Ridge, Minnesota

 184 bat collision fatalities over 4 years (Johnson et al., 2003)



Predation

Raptors use:

- Poles
- Transmission lines
- Fences



Avoidance

Siting: Key habitats

Migration corridors

Staging areas

Landscape selection

- Intact healthy native vs. cultivated, altered
- Land management practices



Avoidance

Design: No perches

- Towers
- Nacelles

Buried power lines
Minimal roads and fences
Turbine density and spacing



Avoidance

Operation and Maintenance:

Minimize disturbance

- Vegetation
- Soils
- Wildlife
- Scheduling



Mitigation

Off-site habitat restoration Management modifications

- Key habitats
- Affected species
- Adjacent lands



Additional Information

Kansas Renewable Energy Working Group www.krewg.org

Wildlife Management Institute www.wildlifemanagementinstitute.org

